

Sodium Fluoride

REC'D MAR 05 2004

Sodium Fluoride

Material Safety Data Sheet

Chemical: Sodium Fluoride

NFPA: H=3 F=0 I=0 S=None

HMIS: H=3 F=0 R=0 PPE= Supplied by user;
dependent on conditions

MSDS Number: NAF-1103

Effective Date: 13 November 2003

Issued by: Solvay Chemicals, Inc. Regulatory Affairs Department

Not valid three years after effective date or after issuance of superseding MSDS, whichever is earlier. French or Spanish translations of this MSDS may be available. Check www.solvaychemicals.us or call Solvay Fluorides, LLC to verify the latest version or translation availability.

Material Safety Data Sheets contain country specific regulatory information; therefore, the MSDS's provided are for use only by customers of Solvay Fluorides, LLC in North America. If you are located in a country other than the United States, please contact the Solvay Group company in your country for MSDS information applicable to your location.

1. Company and Product Identification

1.1 Product Name: Sodium Fluoride

Chemical Name: Sodium Fluoride

Synonyms: None

Chemical Formula: NaF

Molecular Weight: 42

CAS Number: 7681-49-4

EINECS Number: 231-667-8

Grade/Trade Names: Coarse Blends, Granular, Powder, USP, Coarse, Crystal

1.2 Recommended Uses: Welding and fluxing agents; Metallurgy; Glass industry; Dental application; Water Fluoridation

1.3 Supplier: Solvay Fluorides, LLC
PO BOX 27328 Houston, TX 77227-7328
3333 Richmond Ave. Houston, Texas 77098

Distributed By:
SAL Chemical
3036 Birch Drive
Weirton, WV 26062
304-748-8200

1.4 Emergency Telephone Numbers

General: 1-877-765-8292 (Solvay Fluorides, LLC)

Emergencies (USA): 1-800-424-9300 (CHEMTREC®)

Transportation Emergencies (INTERNATIONAL/MARITIME): 1-703-527-3887 (CHEMTREC®)

Transportation Emergencies (CANADA): 1-613-996-6666 (CANUTEC)

Transportation Emergencies (MEXICO-SETIQ): 91-800-00-214-00 (MEX. REPUBLIC)
-0-11-525-559-1588 (elsewhere)



Responsible Care
Good Chemistry at Work

MSDS No. NAF-1103 Revised 11-13-03
Copyright 2003, Solvay Fluorides, LLC
A subsidiary of Solvay Chemicals, Inc.
All Rights Reserved.
www.solvaychemicals.us 1.800.765.8292

Solvay
Fluorides



A Subsidiary of Solvay Chemicals, Inc.

Sodium Fluoride

Sodium Fluoride

Material Safety Data Sheet

2. Composition/Information on Ingredients

INGREDIENTS	FORMULA	WT. PERCENT	CAS #
Sodium Fluoride	NaF	≥ 97.00%	7681-49-4
Sodium Fluorosilicate	Na ₂ SiF ₆	≤ 2.50%	16893-85-9
Water	H ₂ O	≤ 0.50%	7732-18-5

3. Hazards Identification

Emergency Overview:

- Hazardous product for the human health and the aquatic environment.
- Presents hazards from its ionizing fluorine.
- In case of decomposition, releases hydrogen fluoride.

3.1 Route of Entry: Inhalation: Yes Skin: Yes Ingestion: Yes

3.2 Potential Effects of exposure:

- Irritating to the mucous membranes, eyes and skin.
- Risk of cardiac and nervous disorders.
- Fatalities have been observed after a single dose of 5 grams or more taken by an adult weighing 70 kg.
- Chronic exposure to the product can cause bone or dental fluorosis

Inhalation:

- Nose and throat irritation.
- Cough.
- At high concentrations, risk of hypocalcemia with nervous problems (tetany) and cardiac arrhythmia.
- In case of repeated or prolonged exposure: risk of sore throat, nose bleeds, chronic bronchitis.

Eyes:

- Severe eye irritation, watering and redness.
- Risk of temporary eye lesions.

Skin contact:

- Irritation.
- In case of repeated contact: risk of burns.

Ingestion:

- Severe irritation of the mouth, throat, esophagus and stomach.
- Abundant salivation.
- Nausea, vomiting, abdominal cramps and diarrhea.
- Risk of hypocalcaemia with nervous disorders (tetany) and cardiac rhythm disorders.
- Risk of convulsions, loss of consciousness, deep coma and cardiopulmonary arrest.
- Risk of general symptoms having a severe prognosis.

Carcinogenicity: See section 11.3

Sodium Fluoride

Sodium Fluoride

Material Safety Data Sheet

4. First-Aid Measures

4.1 General Recommendations: Strict hygiene during and at the end of working shifts.

Inhalation:

- Remove the subject from dusty environment.
- Oxygen or cardiopulmonary resuscitation if necessary.
- Consult with a physician in case of respiratory symptoms.

Eyes:

- Consult with an ophthalmologist immediately in all cases.
- Take to hospital immediately.
- Flush eyes with running water for 5 minutes, while keeping the eyelids wide open.
- Rinse the eyes with a calcium gluconate 1% solution in physiological serum (10ml of calcium gluconate 10% in 90 ml of physiological serum) for 10 minutes. (Continue a calcium gluconate drip into eyes...Then drop wise while transporting.) If 1% calcium gluconate is not available continue flushing with water.
- In the case difficulty opening the lids, administer an analgesic eye wash. Do not use oily drops, ointment, or HF skin burn treatments).

Skin:

- Remove contaminated shoes, socks and clothing; while washing the affected skin with running water for 5 minutes. Double bag all contaminated clothing for disposal.
- Immediately apply calcium gluconate gel 2.5% and massage into the affected area using rubber gloves; continue to massage while repeatedly applying gel until 15 minutes after pain is relieved (see section 16).
- If fingers/finger nails are touched, even if there is no pain, dip them in a bath of 5% calcium gluconate for 15 to 20 minutes.
- Apply water longer (15 minutes) if calcium gluconate is not available.
- Provide clean clothing.
- Consult with a physician in cases of persistent pain or redness.

Ingestion:

General recommendations

- Consult with a physician immediately in all cases.
- Take to hospital.

If the subject is completely conscious:

- Rinse mouth with fresh water.
- Give to drink a 1% aqueous calcium gluconate solution.
- If the subject presents nervous, respiratory or cardiovascular disorders: administer oxygen.
- Classical resuscitation measures.

If the subject is unconscious:

- NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON

4.2 Medical Treatment/Notes to Physician: See Section 4.1

Sodium Fluoride

Sodium Fluoride

Material Safety Data Sheet

5. Fire-Fighting Measures

5.1 Flash point: Not applicable

5.2 Auto-ignition Temperature: No data

5.3 Flammability Limits: No data

5.4 Unusual Fire and Explosion Hazards: No data

5.5 Extinguishing Methods

Common: In case of fire in close proximity, all means of extinguishing are acceptable

Inappropriate extinguishing means: No restriction.

5.6 Fire Fighting Procedures:

Specific hazards:

- Non-combustible
- Formation of dangerous gas/vapors in case of decomposition (see section 10).

Protective measures in case of intervention:

- Wear self contained breathing apparatus when in close proximity or in confined spaces.
- When intervening in close proximity wear acid resistant over suit.
- After intervention, proceed to clean the equipment (take a shower, remove clothing carefully, clean and check).

Other precautions: Control the use of water due to environmental risk (see section 6).

6. Accidental Release Measures

6.1 Precautions:

- Follow the protective measures given in section 8.
- Avoid dispersing the dust into a cloud.

6.2 Cleanup methods:

- Collect the product with suitable means avoiding dust formation.
- Place everything into a closed, labeled container compatible with the product.
- For disposal methods, refer to section 13.
- Clean area with large quantities of water.

6.3 Precautions for protection of the environment:

- Immediately notify the appropriate authorities in case of significant discharge.
- Prevent discharges into the environment (sewers, rivers, soils, etc.)

Sodium Fluoride

Sodium Fluoride Material Safety Data Sheet

7. Handling and Storage

7.1 Handling:

- Use only equipment and materials which are compatible with the product.
- Keep away from heat sources.
- Keep away from reactive products (see section 10).

7.2 Storage:

- Keep in original packaging, and closed.
- Keep away from reactive products (see section 10).

7.3 Specific Uses: See Section 1.2

7.4 Other precautions:

- Warn people about the hazards of the Sodium Fluoride.
- Avoid dust and formation of dust clouds.
- Follow the protective measures given in section 8.

7.5 Packaging:

- Paper lined with PE
- Drums lined with PE

8. Exposure Controls/Personal Protection

8.1 Exposure Limit Values: Sodium Fluoride

Authorized limit Values	TLV® ACGIH®-USA (2002)	OSHA PEL	NIOSH REL (1994)
Fluorides	2.5 mg/m ³ (as F)	2.5 mg/m ³ (as F)	2.5 mg/m ³ (as F)

ACGIH® and TLV® are registered trademarks of the American Conference of Governmental Industrial Hygienists.

8.2 Exposure Controls:

- Follow the protective measures given in section 7.
- Maintain employee exposures to levels below the applicable exposure limits.

8.2.1 Occupational Exposure Controls:

8.2.1.1 Ventilation: Provide local ventilation suitable for the dust risk.

8.2.1.2 Respiratory protection:

- Self-contained breathing apparatus in medium confinement/insufficient oxygen/in case of large uncontrolled emissions/in all circumstances when the mask and cartridge do not give adequate protection.
- Use only respiratory protection that conforms to international/national standards.
- Use only NIOSH approved respirators.
- Comply with OSHA respiratory protection requirements

8.2.1.3 Hand protection: Protective gloves - chemical resistant: PVC, neoprene, rubber.

8.2.1.4 Eye protection: Dust proof goggles.

Sodium Fluoride

Sodium Fluoride Material Safety Data Sheet

8.2.1.5 Skin protection:

- Overalls.
- Apron/boots of PVC, neoprene, rubber in case of dusts.

8.3 Other precautions:

- Do not smoke, eat and drink in the working area.
- Take off contaminated clothing immediately after work.
- Shower and eye wash stations.
- Consult the industrial hygienist or the safety manager for the selection of personal protective equipment suitable for the working conditions.
- Maintain adequate supply of antidote gel, calcium gluconate.

9. Physical and Chemical Properties

9.1 Appearance: Crystalline Powder

Odor: White

Color: Odorless

9.2 Important Health, Safety and Environmental information:

pH: 9.2 at 20°C (68°F) 1% solution

Change of state:

Melting point: 995°C (1823°F)

Boiling point: 1695°C (3083°F)

Decomposition Temperature: No data

Flash Point: Not applicable

Flammability: Not applicable
(solid, gas)

Explosive Properties: No data

Oxidizing Properties: Not applicable

Vapor pressure: 1.33 hPa

Relative Density:

Specific gravity (H₂O=1): 2.5-2.6

Solubility:

Water: 42 g/l at 20°C (68°F)

Fat: No data

Partition coefficient: Not applicable

Viscosity: Not applicable

Vapor Density (air=1): Not applicable

Evaporation Rate: Not applicable

9.3 Other Information:

Granulometry: 90% > 1 mm

Sodium Fluoride

Sodium Fluoride

Material Safety Data Sheet

10. Stability and Reactivity

Stability: Stable under certain conditions (see below).

10.1 Conditions to avoid: Moisture

10.2 Materials and substances to avoid:

- Strong acids-reacts
- Glass-reacts

10.3 Hazardous decomposition products: Hydrogen fluoride

10.4 Hazardous Polymerization: Will not occur

11. Toxicological Information

11.1 Acute toxicity:

Inhalation:

Oral: LD₅₀ = 52-250 mg/kg, rat

Dermal: LD IO = ~300 mg/kg, mouse

Irritation:

- Rabbit, slight irritant (skin)
- Rabbit, irritant (eyes)

Sensitization: No data

Comments:

- Chronic exposure may entail dental or skeletal fluorosis.
- The carcinogenic effect found in animals is not demonstrated in humans.
- Risk of toxic effect on reproduction.

11.2 Chronic toxicity:

- Oral route, after prolonged exposure, rat/mouse, target organ: skeleton / thyroid / testes / kidney, liver, ~ 1mg/kg, observed effect.
- Ambiguous carcinogenic effect.
- Ambiguous mutagenic effect.
- Fetotoxic and fertility effects.

11.3 Carcinogenic Designation: None

Sodium Fluoride

Sodium Fluoride

Material Safety Data Sheet

12. Ecological Information

12.1 Acute ecotoxicity:

- Fish, *Salmo gairdneri*, LC₅₀, 96 hour(s), 112 mg/l
- Crustaceans, *Daphnia magna*, EC₅₀, 48 hour(s), 213 mg/l
Conditions: Fresh water
- Crustaceans, *Mysidopsis bahia*, EC₅₀, 96 hour(s), 23mg/l
Conditions: Salt water
- Algae, *Scene desmus sp.* EC₅₀, 96 hour(s), 95 mg/l

12.2 Chronic ecotoxicity:

- Fish, *Salmo gairdneri*, LC₅₀, 21 days, from 5.9-10.3 mg/l
- Crustaceans, *Daphnia magna*, NOEC, 21 days, 8.1 mg/l

12.3 Mobility:

- Air - Result: mobility as solid aerosols
- Water/soil - Result: considerable solubility and mobility
- Soil/sediments - Result: adsorption on mineral soil constituents
Conditions: slightly acid pH (Fluorides)

12.4 Degradation

Abiotic: Water/soil - Result: complexation/precipitation of inorganic materials.
Degradation products: aluminum/iron/calcium/phosphate complexes and/or precipitates as a function of pH (Fluorides)

Biotic: Result: not applicable (inorganic compound)

12.5 Potential for bioaccumulation: Bioconcentration: log Po/w

Result: not applicable (ionizable inorganic compound)

Result: accumulation into vegetable leafs (Fluorides)

12.6 Other adverse effects /Comments:

- Harmful for aquatic organisms.
- Nevertheless, hazard for the aquatic environment is limited due to product properties: low chronic toxicity
- Product fate is highly depending on environmental conditions: pH, temperature, oxidoreductive potential, mineral and organic content of the medium,...

13. Disposal Considerations

13.1 Waste treatment:

- Consult current federal, state and local regulations regarding the proper disposal of this material.
- It is recommended to contact the producer for recycling/recovery.
- Dispose of the product at a landfill authorized for industrial waste

13.2 Packaging treatment: Consult current federal, state and local regulations regarding the proper disposal of emptied containers.

13.3 RCRA Hazardous Waste: Not Listed

Sodium Fluoride

Sodium Fluoride

Material Safety Data Sheet

14. Transport Information

Mode	DOT	IMDG	IATA
UN Number	UN 1690	UN 1690	UN 1690
Class (Subsidiary)	6.1	6.1	6.1
Proper Shipping Name	Sodium Fluoride	Sodium Fluoride	Sodium Fluoride
Hazard label (Subsidiary)	Poison		
Placard [Subsidiary]	Poison	1690	
Packing Group	III	III	III
Reportable Quantity	1000 lbs.		
MFAG			
Emergency Info	ERG: 154	EmS: 6.1-04	ERG Code: 6L

15. Regulatory Information

National Regulations (US)

TSCA Inventory 8(b): Yes

SARA Title III Sec. 302/303 Extremely Hazardous Substances (40 CFR355): No

SARA Title III Sec. 311/312 (40 CFR 370): No

SARA Title III Sec. 313 Toxic Chemical Emissions Reporting (40 CFR 372): No

CERCLA Hazardous Substance (40CFR Part 302):

Listed: Yes, Reportable Quantity 1,000 lbs

State Component Listing: No Data.

National Regulations (Canada) Canadian DSL Registration: DSL

WHMIS Classification: D2A - Very Toxic Material

This product has been classified in accordance with the hazard criteria of the *Controlled Products Regulations* and the MSDS contains all the information required by the *Controlled Products Regulations*.

Labeling according to Directive 1999/45/EC.

Category	ID	Phrase
Symbols	T	Toxic
Phrases R	25	Toxic if swallowed.
	32	Contact with acids liberates very toxic gas.
	36	Irritating to eyes and skin.
Phrases S	22	Do not breathe dust.
	36	Wear suitable protective clothing.
	45	In case of accident or if you feel unwell, seek medical advice immediately show the label where possible.

Sodium Fluoride

Sodium Fluoride

Material Safety Data Sheet

16. Other Information

16.1 Ratings:

NFPA (NATIONAL FIRE PROTECTION ASSOCIATION)

Health = 03 Flammability = 0 Instability = 0 Special = None

HMS (HAZARDOUS MATERIAL INFORMATION SYSTEM)

Health = 3 Fire = 0 Reactivity = 0 PPE = Supplied by User; dependent on local conditions

16.2 Other Information:

The previous information is based upon our current knowledge and experience of our product and is not exhaustive. It applies to the product as defined by the specifications. In case of combinations of mixtures, one must confirm that no new hazards are likely to exist. In any case, the user is not exempt from observing all legal, administrative and regulatory procedures relating to the product, personal hygiene, and integrity of the work environment. (Unless noted to the contrary, the technical information applies only to pure product).

To our actual knowledge, the information contained herein is accurate as of the date of this document. However, neither Solvay Fluorides, LLC nor any of its affiliates makes any warranty, express or implied, or accepts any liability in connection with this information or its use. This information is for use by technically skilled persons at their own discretion and risk and does not relate to the use of this product in combination with any other substance or any other process. This is not a license under any patent or other proprietary right. The user alone must finally determine suitability of any information or material for any contemplated use, the manner of use and whether any patents are infringed. This information gives typical properties only and is not to be used for specification purposes.

TRADEMARKS: All trade name of products referenced herein are either trademarks or registered trademarks of Solvay Fluorides, LLC or other Solvay Company or affiliate unless otherwise identified.

16.3 Reason for revision:

Supersedes edition: Solvay Fluorides Inc. MSDS dated 5/6/2003

Purpose of revision: Change Company name and MSDS format