

PRODUCT NAME

POTASSIUM NITRATE

Document Code / Version: 001/07-US
Date of issue: March 2015

Distributed by: SAL Chemical 3036 Birch Drive, Weirton, WV 26062 304.748.8200 - Phone 304.797.8751 - Fax

1. PRODUCT AND COMPANY IDENTIFICATION

Product identifier Potassium nitrate Technical Grade Crystalized

QPotassium Nitrate Refined Grade Crystalized QPotassium Nitrate Refined Grade Prilled QPotassium Nitrate Technical Grade Prilled

Potassium Nitrate Hydroponical Grade - Crystallized Potassium Nitrate Fertigation Grade Crystallized

Krista K Ultrasol K Plus

Identified uses

Industrial use of potassium nitrate for formulation of preparations, intermediate use and end-use in industrial settings Industrial end-use as energy storage salt

Professional use in formulation of fertilizer preparations and end-use as fertilizer

Non Recommended Uses

Food additive; Reagent in waste water treatment

Supplier SQM North America

2727 Paces Ferry Rd, Building Two, Suite 1425

Atlanta, GA 30339

 Company Telephone/Fax
 (770) 916 9400 / (770) 916 9404

 Emergency Telephone Number
 (800) 424 9300 (CHEMTREC)

2. HAZARDS IDENTIFICATION

Classification of the substance or mixture

Classification of the chemical in accordance with 29CFR §1910.1200

Hazard classes and Hazard categories Hazard statements

Oxidizing solid, Cat. 3 May intensify fire; oxidizer

Label elements
Hazard pictograms



Signal word WARNING

Hazard Statements May intensify fire; oxidizer

Precautionary Statements

Keep away from heat. Keep away from flammable / combustible / reducing materials.

Take any precaution to avoid mixing with flammable / combustible / reducing materials.

Wear eye protection.

In case of fire: use any suitable mean for extinguishing surrounding fire. Spray water for small fires. For large fires flood with abundant water.

Dispose of contents/container according to local/state/federal regulations.

Other hazards

None

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance name	CAS No	EC No	Concentration
Potassium nitrate	7757-79-1	231-818-8	> 94 %
Sodium nitrate	7631-99-4	231-554-3	0.01 - 5 %
Sulphate (SO ₄ ⁺²)			< 1 %
Boric acid (H ₃ BO ₃)	10043-35-3	233-139-2	< 0.1 %
Chloride (Cl ⁻)			< 0.6 %
Magnesium (Mg ⁺²)			< 0.5 %



PRODUCT NAME POTASSIUM NITRATE

Document Code / Version: 001/07-US
Date of issue: March 2015

Calcium (Ca^{+2}) < 0.2 % Nitrite (NO_2^-) < 0.02 % Perchlorate (ClO_4^-) < 0.01% Iodate (IO_3^-) 0.005 - 0.01 %

Components below 5% represent impurities.

Potassium nitrate may also contain an organic additive to control dust/caking.

For specific details on composition according to the product grade, see product data sheet

4. FIRST AID MEASURES

Description of first aid measures

General information

In case of persisting adverse effects consult a physician.

Never give anything by mouth to an unconscious person or a person with cramps.

In case of inhalation

Remove to fresh air and keep at rest in a position comfortable for breathing.

Get medical attention for any breathing difficulty.

In case of skin contact

Wash with plenty of soap and water. Remove contaminated clothing.

If skin irritation occurs: Get medical advice/attention.

In case of eye contact

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

In case of ingestion

Rinse mouth immediately and drink plenty of water.

Most important symptoms and effects, both acute and delayed

The following symptoms may occur:

Delayed lung effects after short term exposure to thermal degradation products

In case of skin contact May cause redness or irritation
In case of eye contact May cause redness or irritation

Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

5. FIRE FIGHTING MEASURES

Extinguishing media

Suitable extinguishing media: Use any suitable mean for extinguishing surrounding fire. Spray water for small

fires. For large fires flood with abundant water.

Unsuitable material: None, but attention should be paid to compatibility with chemicals surrounding.

Specific hazards arising from the chemical

Oxidizer. Contact with combustible materials will not cause spontaneous ignition, however, potassium nitrate will enhance an existing fire.

Thermal decomposition can lead to the escape of toxic/corrosive gases and vapours.

Thermal decomposition products: Nitrous oxides (NOx), potassium nitrite and potassium oxide.

Protective equipment and precautions for firefighters

Keep upwind of fire. Wear full fire fighting turn-out gear (full Bunker gear) and respiratory protection (self contained breathing apparatus (SCBA)).



PRODUCT NAME POTASSIUM NITRATE

Document Code / Version: 001/07-US
Date of issue: March 2015

6. ACCIDENTAL RELEASE MEASURES

Personal precautions

Provide adequate ventilation. Wear personal protection equipment (Section 8).

Environmental precautions

Do not allow to enter into surface water or drains. Ensure waste is collected and contained.

Methods for containment and cleaning up

Take up mechanically, placing in appropriate containers for disposal or recovery.

Unsuitable material for containment/taking up: Do not absorb in saw-dust or other combustible absorbents.

Other information

None

7. HANDLING AND STORAGE

Precautions for Safe Handling

Avoid generation of dust. Provide adequate ventilation. Wear personal protective equipment. Wash hands thoroughly after handling. Do not eat, drink or smoke when using this product. Keep away from flammable, combustible and reducing substances.

Conditions for safe storage, including any incompatibilities

Keep/store only in original container. Wooden pallets are allowed for storage (see NFPA 430). Store in a well-ventilated place. Keep container tightly closed.

Do not store together with: Flammable substance, reducing agents, empty wooden pallets.

Do not store of more than 3 pallets/big bags high.

Perchlorate containing product - Special handling may apply. See www.dtsc.ca.gov/hazardouswaste/perchlorate and Section 15 for more information regarding California State regulations.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

Occupational exposure limits

Potassium nitrate:

OSHA PEL Not Established

STEL/ceiling Not Established

ACGIH (2012 TLVs® and BEIs®)

TWA Not Established STEL/ceiling Not Established

Derived No-Effect Level (DNEL) suggested by the manufacturer

, , , , ,			
Workers (industrial/professional):			
DNEL Human, dermal, long term (repeated):	20.8 mg/kg/day (systemic)		
DNEL Human, inhalation, long term (repeated):	36.7 mg/m ³ (systemic)		

Derived No-Effect Level (DNEL) is the level of exposure to the substance above which humans should not be exposed.

Engineering controls

Use exhaust ventilation to keep airborne concentrations below exposure limits.

Personal Protective Equipment

Eye/face protection Chemical goggles required all the time.

Skin Protection Nitrile rubber gloves, over 0.11 mm thickness, > 480 min breakthrough time and

protective clothes, recommended.

Respiratory Protection Wear respiratory protection, where airborne concentrations are expected to

exceed exposure limits

General Hygiene Considerations

Avoid contact with eyes and skin. Wash hands thoroughly after handling. Do not eat, drink or smoke when using this product.



PRODUCT NAME POTASSIUM NITRATE

Document Code / Version: 001/07-US
Date of issue: March 2015

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Appearance Solid, prilled or crystalline

Colour White
Odour Odourless
Odour Threshold No applicable

pH value 8-11 (5% aqueous solution) Melting point / melting range 335°C / 635°F at 1013 hPa

Boiling temperature / boiling range Not applicable Flash point Not applicable Vapourisation rate / Evaporation rate No data available Flammable solids Not flammable Explosion limits (LEL, UEL) Not applicable Vapour pressure Not applicable Vapour density No data available Density 2.1 at 20°C / 68°F

Solubility $> 100 \text{ g/L at } 25^{\circ}\text{C} / 77^{\circ}\text{F (water)}$

Partition coefficient n-octanol /water
Auto Ignition temperature (AIT)

Decomposition temperature

Viscosity

Explosive properties

Not applicable
Not applicable
Not explosive

Oxidising properties Oxidizer UN Test O.1: Test for oxidizing solids

Other information

None

10. STABILITY AND REACTIVITY

Reactivity

No hazardous reaction when handled and stored according to provisions.

Chemical stability

Stable under normal storage and temperature conditions.

Possibility of hazardous reactions

None identified

Conditions to avoid

Keep away from flammable, combustible and reducing substances.

Incompatible materials

Flammable, combustible and reducing substances under specific conditions. These incompatible materials shall not include approved packaging materials, pallets, or other dunnage (NFPA 430/2004, Code for the Storage of Liquid and Solid Oxidizers, item 4.4.3.1).

Hazardous decomposition products

Thermal decomposition products: Nitrous oxides (NO_x), potassium nitrite and potassium oxide.

11. TOXICOLOGICAL INFORMATION

The following information mostly refers to the major component of the product.

Likely routes of exposure (inhalation, ingestion, skin and eye contact)

Eye contact, skin contact and inhalation. Exposure by ingestion is not expected to occur through normal industrial use.

Symptoms related to the physical, chemical and toxicological characteristics

May be irritant to the respiratory tract. May cause redness or irritation to the skin and eyes. Ingestion of large amounts may cause gastrointestinal disturbances. May cause delayed lung effects after short term exposure to thermal degradation products.



PRODUCT NAME POTASSIUM NITRATE

Document Code / Version: 001/07-US
Date of issue: March 2015

Information on toxicological effects from short and long term exposure

Acute toxicity Species: Method:

Acute oral toxicity LD50: > 2000 mg/kg bw Rat. OECD Guideline 425

Data obtained by analogy conclusion

Acute dermal toxicity LD50: > 5000 mg/kg bw Rat. OECD Guideline 402 Acute inhalation toxicity LC50: > 0.527 mg/L (4-h) Rat. OECD Guideline 403

(maximum achievable concentration)

Assessment / classification: Based on available data, the classification criteria are not met

Irritant and corrosive effects

Irritation to the skin Result: Species:

Equivalent/similar to OECD guideline 404 non-irritant. Rabbit. Data obtained by analogy conclusion

Primary dermal irritation index (PDII): 0 of max. 5 (mean) (Time point: 1, 24, 48, 72h)

Irritation to eyes

OECD Guideline 437

OECD Guideline 405/EU B.5

Result

Species:

In vitro study

Non-irritant.

Rabbit.

Assessment / classification:

Based on available data, the classification criteria are not met

Respiratory or skin sensitisation

Skin sensitization Result: Species:

OECD Guideline 429/EU B.42 not sensitising. Mouse. Data obtained by analogy conclusion

Respiratory sensitisation No information available.

Assessment / classification: Based on available data, the classification criteria are not met

Germ cell mutagenicity / Genotoxicity

In-vitro genotoxicity Method: Result:

Gene-mutations microrganisms bacterial reverse mutation assay negative (literature information)

Gene-mutations mammalian cells OECD Guideline 476/EU B.17 negative

Chromosome aberr. mammalian cells According to Ishidate & Odashima (1977) negative (literature information)

Sister Chromatid Exchange (SCE) Equivalent or similar to OECD 479 negative (literature information)

Assessment / classification: Based on available data, the classification criteria are not met

Reproductive toxicity

Adverse effects on sexual function and fertility/developmental toxicity

OECD guideline 422. NOAEL(C): ≥1500 mg/kg/day Rat.

At the highest dose tested, no effects on fertility or development were observed in this repeated dose toxicity study.

Assessment / classification: Based on available data, the classification criteria are not met

Specific target organ toxicity (single exposure)

Practical experience / human evidence

No relevant effect have been observed after single exposure to potassium nitrate.

Assessment / classification: Based on available data, the classification criteria are not met

Specific target organ toxicity (repeated exposure)

OECD guideline 422.

Effect dose: Organs affected:

NOAEL(C): 1500 mg/kg bw/day None

Assessment / classification: Based on available data, the classification criteria are not met

Aspiration hazard

Physicochemical data and toxicological information does not indicate an aspiration hazard.

Assessment / classification: Based on available data, the classification criteria are not met

Carcinogenicity

International Agency for Research on Cancer (IARC) Inadequate animals and humans evidence

National Toxicology Program (NTP)

29 CFR part 1910, subpart Z

California Proposition 65

Not listed

Not listed

WHO (2003) Nitrate in drinking water

No association between nitrate exposure in humans and the risk of

cancer



PRODUCT NAME POTASSIUM NITRATE

Document Code / Version: 001/07-US
Date of issue: March 2015

Other Toxicological Information

This product contains trace amounts of naturally-occurring perchlorate and iodate. Like other goitrogenic substances, perchlorate may affect iodine uptake by thyroid under specific conditions.

12. ECOLOGICAL INFORMATION

The following information mostly refers to the major component of the product.

Ecotoxicity

Aquatic toxicity

96-h LC501378 mg/LPoecilia reticulata (freshwater fish)(literature information)48-h EC50490 mg/LDaphnia magna (fresh water flea).(literature information)10 d EC50> 1700 mg/LSeveral algae species(literature information)Assessment / classification:Based on available data, the classification criteria are not met

Persistence and degradability

In aqueous compartments, the substance will dissociate into potassium and nitrate ions. Other minor compounds are also expected to be dissociated in their corresponding ions. Potassium ions are not subject to further degradation. Under anoxic conditions, nitrate is subjected to denitrification and is ultimately converted into molecular nitrogen as part of the nitrogen cycle. Nitrate and other oxyanions impurities are likely to be found in oxic compartments.

Bioaccumulative potential

Potassium nitrate has a low potential for bioaccumulation based on physicochemical properties (high water solubility).

Mobility in soil

Nitrate has a low potential for adsorption. Portion not taken up by plants, can leach to groundwater. Potassium may be absorbed by plants and it can also participate in ion exchange processes.

Other adverse effects

Excess nitrate leaching may enrich waters leading to eutrophication.

13. DISPOSAL CONSIDERATIONS

Disposal should be in accordance with applicable federal and state laws.

It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal method in compliance with applicable regulations.

Potassium nitrate waste exhibiting the characteristic of ignitability has the EPA Hazardous Waste Number of D001 according to the Resource Conservation and Recovery Act (RCRA) 40 CFR 261.

Perchlorate containing product - Special handling may apply. See www.dtsc.ca.gov/hazardouswaste/perchlorate and Section 15 for more information regarding California State regulations.

14. TRANSPORT INFORMATION

US DOT (49CFR part 172)

UN-No. 1486

UN Proper Shipping Name POTASSIUM NITRATE

Hazard class 5.1 Packing group III

Hazard label(s) 5.1 (oxidizer)

Special marking No

Special Provision A1; A29; IB8; IP3; T1; TP33; W1

International Maritime Organization (IMDG Code)

UN-No. 1486

UN Proper Shipping Name POTASSIUM NITRATE

Hazard class 5.1
Packing group III
Marine pollutant No

Hazard label(s) 5.1 (oxidizer)

Special marking No



PRODUCT NAME POTASSIUM NITRATE

Document Code / Version: 001/07-US
Date of issue: March 2015

Special Provision 964

Air transport (ICAO-TI / IATA-DGR)

UN-No. 1486

UN Proper Shipping Name POTASSIUM NITRATE

Hazard class 5.1 Packing group III

Hazard label(s) 5.1 (oxidizer)

Special marking No

Special handling procedure

None

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

Other special precautions

None

15. REGULATORY INFORMATION

US Federal

SARA Title III Rules

Section 311/312 Hazard Classes

Acute Health Hazard No Chronic Health Hazard No

Fire Hazard Yes (Oxidizer)

Release of Pressure No Reactive Hazard No

Section 313 Toxic Chemicals

N511 Nitrate compounds (water dissociable; reportable only when in aqueous solution)

Section 302 Extremely Hazardous Substances (EHS)/CERCLA Hazardous Substances

Potassium nitrate is not listed

DHS - Chemical of Interest (Appendix A to 6CFR Part 27)

Potassium nitrate is listed (ACG)

NFPA 704/2012: National Fire Protection Association

Health 1
Fire 0
Instability 0
Special OX

US State Regulations

California Proposition 65 Potassium nitrate is not listed

California Code of Regulations Title 22 (Health See http://www.dtsc.ca.gov/hazardouswaste/perchlorate/

& Safety Code), Chapter 33

Canada

Ingredient Disclosure List: Not listed.

WHMIS Classification: Oxidizing solid, category 3.

This product has been classified according to the hazard criteria of the 2015 Hazardous Products Regulations (HPR) and the SDS contains all the information required by the HPR.

European Union

Classification according to Regulation (EC) No 1272/2008 [EU-GHS/CLP]

Hazard classes and Hazard categories Hazard statements

Ox. Sol. 3* H272

^{*}Applicable only to the crystalline form. Granular form that passes UN Test 0.1 is not classified under GHS/CLP.



PRODUCT NAME

POTASSIUM NITRATE

Document Code / Version: 001/07-US
Date of issue: March 2015

Chemical Inventories

United States TSCA Potassium nitrate is listed
Canada DSL Potassium nitrate is listed
European Union (EINECS) Potassium nitrate is listed
Japan (METI) Potassium nitrate is listed
Korea (KECI) Potassium nitrate is listed

16. OTHER INFORMATION

This SDS complies with 29 CFR part 1910 subpart Z (2012), Hazardous Products Regulations (HPR, 2015) and ANSI Standard Z400.1-2004

Data source Potassium nitrate REACH (EC) Registration Dossier

Prepared by Regulatory Affairs Department, SQM

E-mail product_safety@sqm.com

spn-northamerica@sqm.com; ind-northamerica@sqm.com

Date of issue:March 2015SupersedesNovember 2012

The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no event shall SQM be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if SQM has been advised of the possibility of such damages.

Indication of changes

Version 7 (March 2015) Section 1: Updating the list of brand names.

Section 2: Precautionary statements were amended.

Section 3: Boric acid level was identified as an impurity.

Section 7: Information for safe storage was added.

Section 9: pH value has bee updated.

Section 10: Incompatible materials clarification.

Section 15: Additional regulatory information.

Section 16: Data source, Indication of changes.

Version 6 (November 2012) All sections were reviewed and modified to comply with 29CFR part 1910 subpart Z (2012).

Version 5 (March 2012) All sections were reviewed, contents were updated and format was changed.